



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| | | | | |
|--|-------------|----------------------|--------------------------------|------------------|
| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
| 10/565,163 | 01/19/2006 | Fredrik Gunnarsson | 0091-0250PUS1 | 7302 |
| 2292 7590 12/13/2007 BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747 | | | EXAMINER MONIKANG, GEORGE C | |
| | | | ART UNIT | PAPER NUMBER |
| | | | 2615 | |
| | | | NOTIFICATION DATE | DELIVERY MODE |
| | | | 12/13/2007 | ELECTRONIC |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary

Application No.

10/565,163

Applicant(s)

GUNNARSSON, FREDRIK

Examiner

George C. Monikang

Art Unit

2615

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 January 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☒ Certified copies of the priority documents have been received in Application No. 10/565,163.
 - 3) ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>7/5/2006, 1/19/2006</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1-10, 12, 14-23, 25 & 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heed et al, WO 01/39548, in view of Nelson, US Patent 6,760,447 B1. (Heed et al is cited in IDS filed 1/19/2006)

Re Claim 1, Heed et al discloses a method of processing an input audio stereo signal comprising two input signals, for reproduction of a processed stereo signal in an audio stereo reproduction system comprising at least one pair of loudspeaker elements (abstract), the method comprising the steps of: a) providing a mid input signal (M) and a side input signal (S) (fig. 1; col. 3, lines 7-30), b) producing a left output signal for transmission to a left loudspeaker in said pair, which is, or is equivalent to, the sum of the mid input signal (M) and the side input signal (S) (fig. 1; col. 3, lines 7-30), c)

producing a right output signal for transmission to a right loudspeaker in said pair, which is, or is equivalent to, the sum of the mid input signal (M) and the side signal (S) phase shifted 180.degree. (fig. 1; col. 3, lines 7-30), but fails to disclose the method further being characterised in the step of: at least a part of the side input signal (S) or the mid input signal (M) in the frequency range 4 kHz-9 kHz is phase shifted at least 45.degree. but no more than 135.degree. relative to the other signal prior to or at the production of the left and right output signals in steps b) and c). However, Nelson does (col. 21, lines 38-45).

Taking the combined teaching of Heed et al and Nelson as a whole, one skilled in the art would have found it obvious to modify the method of processing an input audio stereo signal comprising two input signals, for reproduction of a processed stereo signal in an audio stereo reproduction system comprising at least one pair of loudspeaker elements (abstract), the method comprising the steps of: a) providing a mid input signal (M) and a side input signal (S) (fig. 1; col. 3, lines 7-30), b) producing a left output signal for transmission to a left loudspeaker in said pair, which is, or is equivalent to, the sum of the mid input signal (M) and the side input signal (S) (fig. 1; col. 3, lines 7-30), c) producing a right output signal for transmission to a right loudspeaker in said pair, which is, or is equivalent to, the sum of the mid input signal (M) and the side signal (S) phase shifted 180.degree. (fig. 1; col. 3, lines 7-30) of Heed et al with the method further being characterised in the step of: at least a part of the side input signal (S) or the mid input signal (M) in the frequency range 4 kHz-9 kHz is phase shifted at least 45.degree. but no more than 135.degree. relative to the other signal prior to or at the production of the

left and right output signals in steps b) and c) as taught in Nelson (col. 21, lines 38-45) to increase the degree of fidelity perceived in stereo effects.

Re Claim 2, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, characterised in that at least the part of the mid input signal (M) or the side input signal (S) in the frequency range 6 kHz-9 kHz is phase shifted at least 45.degree. but no more than 135.degree. with respect to the other signal (Nelson, col. 21, lines 38-45).

Re Claim 3, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, characterised in that in steps b) and c) the mid input signal (M) is attenuated by a factor .alpha. (Heed et al, col. 3, lines 7-30).

Re Claim 4, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, characterised in that: in step a) the mid input signal (M) is obtained as the sum of a left input signal (L) and a right input signal (R), and in step a) the side input signal (S) is obtained as the difference of the left input signal (L) and the right input signal (R) (Heed et al, col. 3, lines 7-30).

Re Claim 5, the combined teachings of Heed et al and Nelson disclose the method according to 3, characterised in that the attenuation factor .alpha. is in the range -3 dB to -15 dB (Heed et al, col. 3, lines 43-46).

Re Claim 6, the combined teachings of Heed et al and Nelson disclose the method according claim 3, characterised in that the attenuation factor .alpha. is in the range -6 dB to -12 dB (Heed et al, col. 3, lines 31-34).

Re Claim 7, the combined teachings of Heed et al and Nelson disclose the method according to claim 3, characterised in that the attenuation factor α . (Heed et al, col. 5, lines 8-15).

Re Claim 8, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, characterised in that the loudspeaker elements are closely located (Heed et al, col. 5, lines 44-48).

Re Claim 9, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, characterised in that the pair of loudspeaker elements consists of a pair of identical loudspeaker elements being acoustically isolated from each other, and located within less than one quarter of the shortest wavelength emitted by the elements, or, if the shortest wavelength emitted by the elements is less than 68 cm, less than 17 cm (Heed et al, col. 6, lines 48-59).

Re Claim 10, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, characterised in that substantially all of the side input signal (S) or the mid input signal (M) is phase shifted approximately 90.degree. (Heed et al, col. 3, lines 7-30).

Re Claim 12, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, but fail to disclose characterised in that the phase shift is accomplished by digital signal processing, e.g. by a Hilbert transform. Official notice is taken that both the concepts and advantages of using a digital signal processor to accomplish the phase shift are well known in the art. It would have been obvious to use

digital processing to accomplish the phase shift since digitized sounds will have better quality.

Claim 14 has been analyzed and rejected according to claim 1.

Claim 15 has been analyzed and rejected according to claim 2.

Claim 16 has been analyzed and rejected according to claim 3.

Claim 17 has been analyzed and rejected according to claim 4.

Claim 18 has been analyzed and rejected according to claim 5.

Claim 19 has been analyzed and rejected according to claim 6.

Claim 20 has been analyzed and rejected according to claim 7.

Claim 21 has been analyzed and rejected according to claim 8.

Claim 22 has been analyzed and rejected according to claim 9.

Claim 23 has been analyzed and rejected according to claim 10.

Claim 25 has been analyzed and rejected according to claim 12.

Claim 27 has been analyzed and rejected according to claim 1.

Claim 28 has been analyzed and rejected according to claim 2.

Claim 29 has been analyzed and rejected according to claim 9.

4. Claims 11 & 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heed et al, WO 01/39548 and Nelson, US Patent 6,760,447 B1 as applied to claim 1 above, in view of Kraemer, US Patent 6,590,983 B1. (Kraemer is cited in IDS filed 7/5/2006)

Re Claim 11, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, but fail to disclose characterised in that the phase shift is accomplished by a frequency dependent filter, such as an all pass filter. However, Kraemer does (col. 7, lines 18-25).

Taking the combined teachings of Heed et al, Nelson and Kraemer as a whole, one skilled in the art would have found it obvious to modify the method according to Heed et al and Nelson with characterised in that the phase shift is accomplished by a frequency dependent filter, such as an all pass filter as taught in Kraemer (col. 7, lines 18-25) to add ambience.

Claim 24 has been analyzed and rejected according to claim 11.

5. Claims 13 & 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heed et al, WO 01/39548 and Nelson, US Patent 6,760,447 B1 as applied to claim 1 above, in view of Desper, US Patent 5,896,456.

6. Re Claim 13, the combined teachings of Heed et al and Nelson disclose the method according to claim 1, but fails to disclose characterised in that the mid input signal (M) is delayed with a time corresponding to the delay of the phase shifting means. However, Desper does (col. 13, lines 38-40).

7. Taking the combined teachings of Heed et al, Nelson and Desper as a whole, one skilled in the art would have found it obvious to modify the method according to Heed et al and Nelson with characterised in that the mid input signal (M) is delayed with

a time corresponding to the delay of the phase shifting means as taught in Desper (col. 13, lines 38-40) so that an enlarged listening area is perceived by the listener.

Claim 26 has been analyzed and rejected according to claim 13.

Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George C. Monikang whose telephone number is 571-270-1190. The examiner can normally be reached on M-F, alt Fri. Off 7:30am-5:00pm (est).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chin Vivian can be reached on 571-272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number:
10/565,163
Art Unit: 2615

Page 9

George Monikang

12/9/2007



WYMAN CHIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2000